

## Selected gamma-ray spectrometry references

### Fundamentals

- Grasty, R.L., 1979, Gamma-ray spectrometric methods in uranium exploration – theory and operational procedures: In *Geophysics and Geochemistry in the Search for Metallic Ores*; ed. P.J. Hood, Geological Survey of Canada, Economic Geology Report 31, 147-161.
- Grasty, R.L., 1997. Radon emanation and soil moisture effects on airborne gamma-ray measurements. *Geophysics*, v. 62, n. 5, 1379-1385.
- IAEA, 2003, Guidelines for radioelement mapping using gamma-ray spectrometry data: IAEA-TECDOC-1363, International Atomic Energy Agency, Vienna.
- Løvborg, L., Mose, E., 1987. Counting statistics in radioelement assaying with a portable spectrometer. *Geophysics*, v. 52, n.4, 555-563.
- Minty, B.R.S., 1997. Fundamentals of airborne gamma-ray spectrometry. *AGSO Journal of Australian Geology and Geophysics*, v. 17, n. 2, 39-50.

### Fundamentals

- Grasty R.L., Minty B.R.S., 1995. A guide to the technical specifications for airborne gamma-ray surveys. Australian Geological Survey Organisation Record 1995/60.
- IAEA, 1989. Construction and Use of Calibration Facilities for Radiometric Field Equipment. Technical Reports Series No. 309, International Atomic Energy Agency, Vienna.
- IAEA, 1991. Airborne gamma-ray spectrometer surveying. Technical Report Series, No. 323. International Atomic Energy Agency, Vienna.
- IAEA, 2003, Guidelines for radioelement mapping using gamma-ray spectrometry data: IAEA-TECDOC-1363, International Atomic Energy Agency, Vienna.

### Spectral noise reduction

- Dickson, B. and Taylor, G., 1998, Noise reduction on aerial gamma-ray surveys: *Exploration Geophysics*, 29(3/4), 324-329.
- Grasty, R.L., 2001. Spectral component analysis applied to portable gamma ray spectrometry. Extended Abstracts, 15<sup>th</sup> Geophysical Conference, Australian Society of Exploration Geophysicists.

- Green A.A., Berman M., Switzer P., Craig M.D., 1988. A transformation for ordering multispectral data in terms of image quality with implications for noise removal. *IEEE Trans. Geosci. and Remote Sensing*, GE-26, 65-74.
- Hovgaard, J., 1997, A new processing technique for airborne gamma-ray spectrometer data (Noise adjusted singular value decomposition): *Am Nucl. Soc. Sixth topical meeting on Emergency Preparedness and Response*, pp. 123-127, San Fransisco, April 22-25,1997.
- Hovgaard, J., and Grasty, R.L., 1997. Reducing statistical noise in airborne gamma-ray data through spectral component analysis. In *“Proceedings of Exploration 97: Fourth Decennial Conference on Mineral Exploration”* edited by A.G. Gubins, 753-764.
- Lee, J.B., Woodyatt, A.S. and Berman M., 1990, Enhancement of high spectral resolution remote-sensing data by a noise-adjusted principal components transform: *IEEE Trans. Geosci. and Remote Sensing*, v. 28(3), 295-304.
- Minty, B.R.S. 2000. Reducing noise in airborne gamma-ray spectra. *Preview*, Issue n. 89.
- Minty, B.R.S. and Hovgaard, J., 2002, Reducing noise in gamma-ray spectra using spectral component analysis: *Exploration Geophysics*, 33 (3/4),172-176.
- Minty, B.R.S., McFadden, P., 1998. Improved NASVD smoothing of airborne gamma-ray spectra. *Exploration Geophysics*, v. 29, n. 3/4, 516-523.
- Switzer P. and Green A., 1984, Min/max autocorrelation factors for multivariate spatial imagery: *Dept. of Statistics, Stanford University, Tech. Rep. 6*.

### Calibration and data processing

- Billings, S.D., 1998. Geophysical aspects of soil mapping using airborne gamma-ray spectrometry. PhD thesis (unpublished), University of Sydney, 1998.
- Billings, S.D., Hovgaard, J., 1999. Modeling detector response in airborne gamma-ray spectrometry. *Geophysics*, v. 64, 1378-1392.
- Billings, S.D., Minty, B.R.S. and Newsam, G.N., 2003. Deconvolution and spatial resolution of airborne gamma-ray surveys. *Geophysics*, 68 (4), 1257-1266.
- Craig, M., Dickinson, B., Rodrigues, S., 1999. Correcting aerial gamma-ray survey data for aircraft altitude. *Exploration Geophysics*, v. 30, 161-166.

# References

- Grasty, R.L., 1979. Gamma-ray spectrometric methods in uranium exploration – Theory and operational procedures. *In* Geophysics and Geochemistry in the Search for Metallic Ores, edited by P.J. Hood, Geological Survey of Canada Economic Geology Report 31, 147-161.
- Grasty, R.L., 1982. Direct snow-water equivalent measurement by air-borne gamma-ray spectrometry. *Journal of Hydrology*, v. 55, 213-235.
- Grasty, R.L., 1987. The design, construction and application of airborne gamma-ray spectrometer calibration pads – Thailand. Geological Survey of Canada Paper 87-10.
- Grasty, R.L., Holman, P.B., Blanchard, Y., 1991. Transportable calibration pads for ground and airborne gamma-ray spectrometers. *Geol. Survey. Can. Paper* (1991) 90-23.
- Grasty, R.L., Tauchid, M., Torres, M., 1995. Standardization of old gamma-ray survey data. Application of uranium exploration data and techniques in environmental studies, IAEA-TECDOC-827, IAEA, Vienna, 35-45.
- Green, A.A., 1987. Leveling airborne gamma-radiation data using between-channel correlation information. *Geophysics*, v. 52, 1557-1562.
- Horsfall, K.R., 1997 Airborne magnetic and gamma-ray data acquisition. *AGSO Journal of Australian Geology & Geophysics*, v.17, n.2, 159-174.
- Jurza P., Campbell I., Robinson P., Wackerle R., Cunneen P., Pavlík B. (2005) Use of <sup>214</sup>Pb photopeaks for radon removal:utilising current airborne gamma-ray spectrometer technology and data processing. *Exploration Geophysics* 36, 322–328.
- Løvborg, L., 1984. The calibration of portable and airborne gamma-ray spectrometers - theory, problems and facilities. Report Riso-M-2456, Roskilde.
- Lovborg, L., Botter-Jenson, L., and Kirkegaard, P., 1978. Experiences with concrete calibration sources for radiometric field instruments. *Geophysics*, 43(3), 543-549.
- Minty, B.R.S. 1998. Multichannel models for the estimation of radon background in airborne gamma-ray spectrometry. *Geophysics*, v. 63, n. 6, 1986-1996.
- Minty, B., Luyendyk, A., Brodie, R., 1997. Calibration and data processing for airborne gamma-ray spectrometry. *AGSO Journal of Australian Geology and Geophysics*, v. 17, n. 2, 51-62.
- Minty, B.R.S., 2001. Discussion on “Noise reduction of aerial gamma-ray surveys” (B. Dickson and G. Taylor). *Exploration Geophysics*, 32, 129-130.
- Minty, B.R.S., and Hovgaard, J., 2002. Reducing noise in gamma-ray spectrometry using spectral component analysis. *Exploration Geophysics*, 33, 172-176.
- Minty, B.R.S., 2003. Accurate noise reduction for airborne gamma-ray spectrometry. *Exploration Geophysics*, 34 (3), 207-215.
- Minty, B., Franklin, R., Milligan, P., Richardson, L.M., and Wilford, J., 2009, The Radiometric Map of Australia: *Exploration Geophysics*, 40 (4), 325-333.
- Minty, B., 2011. Short note: on the use of radioelement ratios to enhance gamma-ray spectrometric data. *Exploration Geophysics*, 42(1), 116-120.
- Richards, D., 2001. Calibration and use of portable gamma-ray spectrometers: Part 1 – calibration. *Preview*, 94, 18-22.
- Richards, D., 2001. Calibration and use of portable gamma-ray spectrometers: Part 2 – field procedures and calculation of ground concentrations. *Preview*, 95, 23-25.
- Schwarz, G.F., Klingele, E.E., Rybach, L., 1992. How to handle rugged topography in airborne gamma-ray spectrometry surveys. *First Break*, v. 10, n. 1, 11-17.

## Interpretation

- An, P., Chung, C.F., Rencz, A.N., 1995. Digital lithology mapping from airborne geophysical and remote sensing data in the Melville Peninsula, northern Canada using a neural network approach. *Remote Sensing of Environment*, v. 53, 76-84.
- Anderson, H., Nash, C., 1997. Integrated lithostructural mapping of the Rossing area, Namibia using high resolution aeromagnetic, radiometric, Landsat data and aerial photographs. *Exploration Geophysics*, v. 28, 185-191.
- Aspin, S. J and Bierwirth, P. N., 1997 – GIS analysis of the effects of forest biomass on gamma-radiometrics images. *In: Proceedings 3<sup>rd</sup> National Forum on GIS in the Geosciences*, Australian Geological Survey Organisation, Record 1997/36.
- Bierwirth, P., 1996. Investigation of airborne gamma-ray images as a rapid mapping tool for soil and land degradation: Wagga Wagga, NSW. Australian Geological Survey Organisation, Record 1996/22.
- Bodorkos, S., Sandiford, M., Minty, B.R.S. and Blewett, R.S., 2004. A high-resolution, calibrated airborne radiometric dataset applied to the estimation of crustal heat production in the Archaean northern Pilbara Craton, Western Australia. *Precambrian Research*, 128, 57-82.
- Chan, L.S., Wong, P.W., Chen, Q.F., 2007. Abundances of radioelements (K, U, Th) in weathered igneous rocks in Hong Kong. *Journal of Geophysics and Engineering* 4, 85–292.

## References

- Charbonneau, B.W., 1991. Geochemical evolution and radioactive mineralogy of the Fort Smith radioactive belt, Northwest Territories, Canada. *In* Primary Radioactive Minerals (The textural patterns of radioactive mineral paragenetic associations). Theophrastus Publications, Athens, Greece, 21-48.
- Cook SE, Corner RJ, Groves, P.R., Grealish G .J., 1996b – Use of airborne gamma-radiometric data for soil mapping. *Australian Journal of Soil Research* 34, 183-194.
- Curto, J.B., Augusto C. B. Pires, Adalene M. Silva and Alvaro P. Crosta, 2012, The role of airborne geophysics for detecting hydrocarbon microseepages and related structural features; the case of Remanso do Fogo, Brazil: *Geophysics* (April 2012), 77(2):B35-B41.
- Dauth, C., 1997 – Airborne magnetic, radiometric and satellite imagery for regolith mapping in the Yilgarn Craton of Western Australia, *Exploration Geophysics*, Vol 28, pp199-203.
- De Meijer, R. J., Tanczos, I. C and Stapel, C., 1994. Radiometric techniques in heavy mineral exploration and exploitation, *Exploration and Mining Geology*, 3, 389-398.
- Davis, J. and Guilbert, J.M., 1973. Distribution of the radioelements potassium, uranium and thorium in selected porphyry copper deposits. *Economic Geology*, 68, 145-160.
- Dickson, B L., 1995 – Uranium-series disequilibrium in Australian soils and its effect on aerial gamma-ray surveys, *Journal of geochemical exploration*, 54, 177-186.
- Dickson, B.L., Fraser, S.J and Kinsey-Henderson, A., 1996 – Interpreting aerial gamma-ray surveys utilising geomorphological and weathering models, *Journal of Geochemical exploration*, 57 (1996) 75-88.
- Dickson, B.L., Scott, K.M., 1997. Interpretation of aerial gamma-ray surveys-adding the geochemical factors. *AGSO Journal of Australian Geology & Geophysics*, v. 17, n.2, 187-200.
- Dickson, B.L and Scott, K. M., 1989 – Radioelement distribution in rocks and soils at the Copper Hill Cu-Au deposit, CSIRO Division of Exploration Geoscience, Report 45R.
- Eberle, D., 1993, Geological mapping based on multivariate statistical analysis of airborne geophysical data. *ITC Journal* 1993-2, 173-178.
- Fullagar, P.K., Fallon, G.N., 1997. Geophysics in metalliferous mines for ore body delineation and rock mass characterisation. *In* "Proceedings of Exploration 97: Fourth Decennial Conference on Mineral Exploration" edited by A.G. Gubins, 573-584.
- Galbraith, J.H., Saunders, D.F., 1983. Rock classification by characteristics of aerial gamma ray measurements. *Journal of Geochemical Exploration* 18, 49-73.
- Giblin A. M and Dickson, B. L 1984 – Hydrogeochemical interpretations of apparent anomalies in base metals and radium in groundwaters near Lake Maurice in the Great Victorian Desert (abstract) *J. Geochem Explor.* 22, 361-362.
- Gnojek, I., Prichystal, A., 1985. A new zinc mineralization detected by airborne gamma-ray spectrometry in Northern Moravia (Czechoslovakia). *Geoexploranium*, 23, 491-502.
- Goosens, M.A., 1992. Petrogenesis of the mineralised granitic intrusion near Los Santos, Spain, and remote sensing and data integration as a tool in regional exploration for granite related mineralization. PhD Thesis, 148 p.
- Gourlay, R and Sparks, T., 1996, Value adding to radiometrics for mapping soil properties: 8<sup>th</sup> Australasian Remote Sensing Conference, Canberra.
- Graham, D.F., Bonham-Carter, G.F., 1993. Airborne radiometric data: a tool for reconnaissance geological mapping using a GIS. *Photogrammetric Engineering and Remote Sensing*, v.58, n.8, 1243-1249.
- Harris, J.R., 1989. Clustering of gamma-ray spectrometer data using a computer image analysis system. *In* Statistical Applications in the Earth Sciences, edited by Agterberg and Bonham-Carter, Geological Survey of Canada, Paper 89-9, 19-31.
- Jaques, A.L., Wellman P., Whitaker, A., Wyborn, D., 1997. High resolution geophysics in modern geological mapping. *AGSO Journal of Australian Geology & Geophysics*, v. 17, n.2, 159-174.
- Jayawardhana, P.M., Sheard, S.N., 1997. The use of airborne gamma-ray spectrometry by M.I.M. Exploration – A case study from the Mount Isa Inlier, northwest Queensland, Australia. *In* Proceedings of Exploration 97: Fourth Decennial Conference on Mineral Exploration" edited by A.G. Gubins, 765-774 (reprinted in 2000, *Geophysics*, v. 65, n. 6, 1993-2000).
- Killeen, P.G., 1979. Gamma-ray spectrometric methods in uranium exploration - application and interpretation. *In*: Hood, P.J. (editor), *Geophysics and geochemistry in the search for metallic ores*. Geological Survey of Canada, Economic Geology Report 31, 163-229.
- Kiss J.J., De Jong E. and Bettany J.R., 1988, The distribution of natural radionuclides in native soils of the Southern Saskatchewan, Canada: *Journal of Environmental Quality*, 17, 437-444.
- P.T. Krishna Kumar, V.V. Phoha, S.S. Iyengar "Classification of radio elements using mutual information: A tool for geological mapping", *Elsevier International Journal of Applied Earth Observation and Geoinformation* 2007, *International Journal of Applied Earth Observation and Geo-Information*, Volume 10, Issue 3, , pp 305-311, September 2008.

# References

- Lanne, E., 1986. Statistical multivariate analysis of airborne geophysical data on the SE border of the central Laplan greenstone complex. *Geophysical Prospecting* v. 34, 1111-1128.
- Lo, B. H., Pitcher, D. H., 1996. A case history on the use of regional aeromagnetic and radiometric data sets for lode gold exploration in Ghana. Annual Meeting Expanded Abstracts, Society of Exploration Geophysicists, 592-595.
- Martz, L.W and de Jong E., 1990 – Natural radionuclides in the soils of a small agricultural basin in the Canadian Prairies and their association with topography, soil properties and erosion, *Catena*, Vol 17. p. 85-96.
- Mathews, L.M., 1977. A gamma-ray spectrometer survey of two British Columbie porphyry copper-molybdenum deposits. MSc Thesis, Univ. of Western Ontario.
- Minty, B. and Wilford, J., 2004. Radon effects in ground gamma-ray spectrometric surveys. *Exploration Geophysics*, 35 (4), 312-318.
- Minty, B., 2011. Short note: on the use of radioelement ratios to enhance gamma-ray spectrometric data. *Exploration Geophysics*, 42(1), 116-120.
- Moxham, R M., Foote, R S and Bunker, C M., 1965. Gamma-ray studies of hydrothermally altered rocks. *Economic Geology* 6, 653-71.
- Paradella, W.R., Bignelli, P.A., Veneziani, P, Pietsch, R.W., Toutin, T., 1997. Airborne and spaceborne synthetic aperture radar (SAR) integration with Landsat TM and gamma-ray spectrometry data for geological mapping in a tropical rainforest environment. Carajas Mineral Province, Brazil, *International Journal of Remote Sensing*, v.18, n.7, 1483-1502.
- Portnov, A.M., 1987. Specialization of rocks towards potassium and thorium in relation to mineralisation. *International Geological Review*, 29, 326-344.
- Saunders, D.F., Burson, K.R., Branch, J.F., Thompson, C.K., 1993. Relation of thorium-normalized surface and aerial radiometric data to subsurface petroleum accumulations. *Geophysics*, v. 58, 1417-1427.
- Saunders, D.F., Burson, K.R., Thompson, C.K., 1999. Model for hydrocarbon microseepage and related near-surface alterations. *AAPG Bulletin*, v. 83, n. 1, 170-185.
- Scott, K.M. & Dickson, B.L., 1990. Radiometric characterization of surface expressions of the alteration associated with Cu-Au mineralisation, Goonumbla, Central NSW. CSIRO Division of Exploration Geoscience, Restricted Report, 119R.
- Schetselaar, E.M., 2002, Petrogenetic interpretation from gamma-ray spectrometry and geological data: the Arch Lake zoned peraluminous granite intrusion, Western Canadian Shield. *Exploration Geophysics* v. 33, 35-43.
- Shives, R.B.K., Charbonneau, B.W., Ford, K.L., 1997. The detection of potassic alteration by gamma-ray spectrometry - Recognition of alteration related to mineralisation. In *Proceedings of Exploration 97: Fourth Decennial Conference on Mineral Exploration*, edited by A.G. Gubins, 741-752 (reprinted in 2000, *Geophysics*, v. 65, n. 6, 2001-2011).
- Miranda J. Taylor, Keith Smettem, Gabriella Pracilio, and William Verboom, 2002, Relationships between soil properties and high-resolution radiometrics, central eastern Wheatbelt, Western Australia: *Exploration Geophysics*, 33:2, 95-102
- Ward, S. H., 1981, Gamma-ray spectrometry in geological mapping and uranium exploration, *Economic Geology*, 75<sup>th</sup> Anniversary Volume, 840-849
- Wellman, P., 1998. Mapping of a granite batholith using geological and remotely sensed data: the Mount Edgar Batholith, Pilbara Craton. *Exploration Geophysics*, v. 29, 643-648.
- Wilford, J.R., 1992. Regolith mapping using integrated Landsat TM imagery and high resolution gamma-ray spectrometry – Cape York Peninsula. Australian Geological Survey Organisation, Record 1992/78.
- Wilford, J.R., 1995. Airborne gamma-ray spectrometry as a tool for assessing relative landscape activity and weathering development of regolith, including soils. *AGSO Res. News*, v. 22, 12-14.
- Wilford, J.R., Bierwirth, P.N., Craig, M.A., 1997. Application of airborne gamma-ray spectrometry in soil/regolith mapping and applied geomorphology. *AGSO Journal of Australian Geology and Geophysics*, v. 17, n. 2, 201-216.
- Wilford, J and Minty, B., 2007. The use of airborne gamma-ray imagery for mapping soils and understanding landscape processes. In “Developments in Soil Science – Volume 31: Digital Soil Mapping – An Introductory Perspective. Edited by P. Lagacherie, A.B. McBratney and M. Voltz. Elsevier 2007.
- Webster, S.S., 1984. Comments on the use of gamma-ray spectrometry for tin prospecting. *Exploration Geophysics*, 15, 61-63.
- Yeates, A.N., Wyatt, B.W. and Tucker, D.H., 1982. Application of gamma-ray spectrometry for tin and tungsten granites, particularly within the Lachlan Fold Belt, New South Wales. *Economic Geology*, 77, 1725-1738.



# References

## Environmental

- Akerblom, G., 1995. The use of airborne radiometric and exploration survey data and technique in radon risk mapping in Sweden. Application of uranium exploration data and techniques in environmental studies. IAEA-TECDOC-827, International Atomic Energy Agency, Vienna, 159-180.
- Akerblom, G., Lindgren, J., 1997. Mapping of groundwater radon potential. Uranium exploration data and techniques applied to the preparation of radioelement maps. IAEA-TECDOC-980, International Atomic Energy Agency, Vienna, 237-255.
- Biggs, A J W and Philip, S R 1995. Soils of Cape York Peninsula. Queensland Department of Primary Industries, Mareeba, Land Resources Bulletin QV95001.
- Bristow, Q., 1978. The application of airborne gamma-ray spectrometry in the search for radioactive debris from the Russian satellite COSMOS 954 (Operation "Morning Light"). Geological Survey of Canada, Papers No. 78-1B, 151-162.
- Cook S.E, Corner R.J, Grealish G.J, Gessler P.E, Chartres C.J., 1996a - A rule-based system to map soil properties. *Soil Science of America Journal* 60, 1893-1900.
- Cattle, S.R., Meakin, S.N., Ruzskowski, P., Cameron, R.G., 2003. Using radiometric data to identify aeolian additions to topsoil of the Hillston district, western NSW. *Australian Journal of Soil Research* 41, 1439-1456.
- van Egmond, F.M., Loonstra, E.H., Limburg, J., 2010. Gamma ray sensor for topsoil mapping: the mole. In: Viscarra Rosel, R.A., McBratney, A.B., Minasny, B. (Eds.), *Proximal Soil Sensing*. : Progress in soil science, Vol 1. Springer.
- Erbe, P., Schuler, U., Wicharuck, S., Rangubpit, W., Stahr, K., Herrmann, L., 2010. Creating soil degradation maps using gamma-ray signatures. 19th World Congress of Soil Science, Soil Solutions for a Changing World, 1-6 August, Brisbane, Australia.
- Ford, K.L., Savard, M., Dessau, J.-C., Pellerin, E., Charbonneau, B.W., Shives, R.B.K., 2000. The role of gamma-ray spectrometry in radon risk evaluation: A case history from Oka, Quebec. *GeoCanada 2000 Abstracts CD-ROM*.
- George, R.J, Campbell, C., Woodgate, P., Farrell, S. and Taylor, P. (2000). Complementary Data and Cost Benefit Analysis of Utilising Airborne Geophysics for Salinity Management Purposes (see [www.ndsp.gov.au](http://www.ndsp.gov.au))
- George, R.J, Campbell, C., Woodgate, P., Farrell, S. and Taylor, P. (2000). Complementary Data and Cost Benefit Analysis of Utilising Airborne Geophysics for Salinity Management Purposes (see [www.ndsp.gov.au](http://www.ndsp.gov.au))
- George, R.J., Beasley, R., Gordon, I., Heislors, D., Speed, R., Brodie, R., McConnell, C. & Woodgate, P. 1998. The national airborne geophysics project - national report. Evaluation of airborne geophysics for catchment management. (see [www.ndsp.gov.au](http://www.ndsp.gov.au)).
- Gessler PE, Moore ID, McKenzie NJ, Ryan PJ (1995) Soil-landscape models and the spatial prediction of soil attributes. *International Journal of Geographic Information Science* 9, 421-432.
- Grasty R.L., Sander, L., 2001. Airborne gamma-ray surveys over Canadian nuclear sites. Expanded Abstracts, 63<sup>rd</sup> Annual Conference, European Association of Geoscientists and Engineers.
- IAEA, 1995. Application of uranium exploration data and techniques in environmental studies. IAEA-TECDOC-827, International Atomic Energy Agency, Vienna.
- Karlsson, S., Mellander, H., Lindgren, J., Finck, R., Lauritzen, B., 2000. RESUME 99, Rapid Environmental Surveying Using Mobile Equipment, Report from the NKS/BOK-1.2 Project Group Mobile Measurements and Measurement Strategies, NKS-15, Nordic Nuclear Safety Research Secretariat, 78 p.
- Lahti, M., Jones, D.G., Multala, J., Rainey, M.P., 2001. Environmental applications of airborne radiometric surveys. Expanded Abstracts, 63<sup>rd</sup> Annual Conference, European Association of Geoscientists and Engineers.
- Lahti, M., Jones, D.G., 2003. Environmental applications of airborne radiometric surveys. *First Break* 21, 35-42.
- Martz, L.W., de Jong, E., 1990. Natural radionuclides in the soils of a small agricultural basin in the Canadian Prairies and their association with topography, soil properties and erosion. *Catena* 17, 85-96.
- McKenzie, N. J and Ryan, P.J., 2000 – Spatial prediction of soil properties using environmental correlation, *Geoderma*, 89, 67-94.
- Pate J. S., Verboom W. H. and P. D. Galloway 2001. Co-occurrence of Proteaceae, laterite and related oligotrophic soils: Coincidental associations or causative interrelationships? *Australian Journal of Botany* 49: 529-560.
- Pickup, G and Marks, A., 2000 – Identifying large scale erosion and deposition processes from airborne gamma radiometrics and digital elevation models in a weathered landscape, *Earth Processes and Landforms*, 25, pp 535-557.
- Pracilio, G., Asseng, S., Cook, S.E., Hodgson, G., Wong, M. T. F., Adams, M. L and Hatton, T J., 2002 – Estimating spatially variable deep drainage across a central eastern wheat belt catchment, Western Australia, *Aust J. Agric. Res.*
- Rawlins, B.G., Lark, R.M., Webster, R., 2007. Understanding airborne radiometric survey signals across part of eastern England. *Earth Surface Processes and Landforms* 32 (10), 1503-1515.
- Rawlins, B.G., Marchant, B.P., Smyth, D., Scheib, C., Lark, R.M., Jordan, C., 2009. Airborne radiometric survey data and a DTM as covariates for regional scale mapping of soil organic carbon across Northern Ireland. *European Journal*

## References

- Roberts, L., Wilford, J., Field, J., Greene, R., 2002. High resolution ground based gamma ray spectrometry and electromagnetics to assess regolith properties, Boorowa, NSW. In: Roach, I. (Ed.), *Regolith and Landscapes in Eastern Australia*, 136. CRC LEME.
- Ryan PJ, McKenzie NJ, O'Connell D, Loughhead AN, Leppert PM, Jacquier D, Ashton LU (2000) Integrating forest soils information across scales: spatial prediction of soil properties under Australian forests. *Forest Ecology and Management* **138**, 139-157
- Sanderson, D.C.W., Allyson, J.D., Tyler, A.N., Scott, E.M., 1995. Environmental applications of airborne gamma-ray spectrometry. Application of uranium exploration data and techniques in environmental studies, IAEA-TECDOC-827, IAEA, Vienna, 71-79.
- Sanderson, D.C.W., J.M. Ferguson, 1997. The European capability for environmental airborne gamma-ray spectrometry. *Radiation Protection Dosimetry*, v. 73, 213-218.
- Scheepers, R., Rozendaal, A., 1993. Redistribution and fractionation of U, Th and rare-earth elements during weathering of subalkaline granites in SW Cape Province, South Africa. *J. Afr. Earth Sci.* 17, 41-50.
- Taboada, T., Cortizas, A.M., Garcia, C., Garcia-Rodeja, E., 2006. Uranium and thorium in weathering and pedogenetic profiles developed on granitic rocks from NW Spain. *Sci Total Environ* 356, 192-206.
- Taylor, M. J, Smettem, K, Pracilio, G and Verboom, W. H., 2002 Investigation of the relationships between soil properties and high resolution radiometrics, central eastern Wheatbelt, Western Australia, *Exploration Geophysics*, 33, 95-102.
- Wilford, J., Dent, D., Dowling, T. and Braaten, R, 2001. Rapid mapping of soils and salt stores - Using airborne radiometrics and digital elevation models. *Geoscience Australia Research Newsletter*, May 2001, No 34.
- Wilford, J., 2012, A weathering intensity index for the Australian continent using airborne gamma-ray spectrometry and digital terrain analysis, *Geoderma*, **183-184**, 124-482.
- Wong MTF, Harper RJ (1999) Use of on-ground gamma-ray spectrometry to measure plant-available potassium and other topsoil attributes. *Australian Journal of Soil Research* **37**, 267-77.
- Verboom W. H., Galloway P. D. 2000. Hypothetical effects of rhizosphere associates of Proteaceae and their lateritic products on landscape evolution: Explanatory descriptions from southwestern Australia. In 'Proceedings of the Australian Society of Soil Science Inc. (WA Branch). Soils 2000 Conference'. (Eds C Tang, DR Williamson) pp 24-35. (Muresk Institute of Agriculture, Western Australia).

### Books

- Adams, J.A.S., Lowder, W.M. (editors), 1964. *The Natural Radiation Environment*. University of Chicago Press, Illinois.
- Adams, J.A., Gasparini, P., 1970. *Gamma-ray Spectrometry of Rocks*. Elsevier, Amsterdam.
- Kogan, R.M., Nazarov, I.M., Fridman, S.D., 1971. *Gamma spectrometry of Natural Environments and Formations*. Israel Programme for Scientific Translations.
- Tsoufanidis, N., 1995. *Measurement and detection of radiation*. Taylor and Francis.

### Miscellaneous

- Brutsaert, W.F., Norton, S.A., Hess, C.T and Williams, J.S., 1981 – Geologic and hydrologic factors controlling Radon-222 in ground water in Maine, *Ground Water*, Vol 19, No4, pp 407-417
- Dickson, B.L., 1985 Radium isotopes in saline seepages, southwestern Yilgarn, Western Australia, *Geochemica et Cosmochimica Acta*, Vol 49, pp 361-368.